

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24127

Stream : Edwards Ditch

Applicant : Town of Newburgh
Leon Key
P.O. Box 100
Newburgh, IN 47629-0100

Description : A 12" diameter pvc sewer line will be placed parallel to the ditch and extend northwest for approximately 3000'. The line will be placed by the bore method. Also 9 manholes will be placed along the northern side of the ditch varying approximately 200' to 400' apart. The ground will be returned to its original elevation. Details of the project are contained in information and plans received at the Division of Water on January 3, 2007.

Location : beginning at the County Road 900 West/Libbert Road stream crossing and extending approximately 2999' west to northwest
near Newburgh, Ohio Township, Warrick County
N½, SE¼, Section 21, T 6S, R 9W, Newburgh, IN-KY Quadrangle
Quad Code: 3708784
UTM Coordinates: Downstream 4203399 North, 463625 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24139

Stream : St. Joseph River

Applicant : **Indiana Department of Natural Resources
Division of Fish & Wildlife
Glen Salmon
402 West Washington Street, Room W273
Indianapolis, IN 46204-2781

Description : A 80' by 15' by 5" concrete ramp will be constructed along the right bank of the St. Joseph River below the dam at Spencerville. Approximately 40' of the ramp will extend below the Ordinary High Water Mark. A total of 80 tons of 12" diameter riprap will be used for a ramp base and river bank erosion control with approximately 30 tons placed below the OHWM. A 12' by 6' barrier-free transfer platform will be constructed at the upper east side of the ramp and will be connected to an accessible parking pad measuring 16' by 30' by 6". A 200' by 100' gravel parking area will constructed on the southeast side of the ramp. Some tree removal and grading will occur in the proposed parking area. Details of the project are contained in information and plans received at the Division of Water on January 12, 2007.

Location : On the right (south) bank of the river, approximately 700' west of the Old County Road 68 crossing
near Spencerville, Spencer Township, DeKalb County
NE¼, NW¼, Section 33, T 33N, R 14E, Saint Joe Quadrangle
Quad Code: 4108438
UTM Coordinates: Downstream 4572085 North, 674395 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24140

Stream : West Fork White River

Applicant : **Indiana Department of Natural Resources
Division of Fish & Wildlife
Glen Salmon
402 West Washington Street, Room W273
Indianapolis, IN 46204-2781

Description : A 80' by 18' by 6" concrete boat ramp will be constructed along the right bank of the West Fork White River. Approximately 3'-5' of the slab will extend into the water at normal water level. Approximately 285 cubic yards of 12" diameter riprap will be used for the ramp base and river bank erosion control. The ramp base will be covered by 43 cubic yards of #2 stone and 57 cubic yards of #53 stone. A 14' by 6' transfer dock and a 17' by 20' accessible parking pad will be built adjacent to the upper right side of the ramp. A 100' by 100' gravel parking area will be constructed north of the ramp and a 615' long entrance road will be located to the northwest of the ramp. The parking area and road will be constructed with 572 cubic yards of #2 crushed stone 4" thick and covered with 786 cubic yards of #53 stone 4" thick. Details of the project are contained in information and plans received at the Division of Water on January 12, 2007.

Location : Along the right (north) bank, approximately 2300' east of the State Road 13 crossing
near Perkinsville, Jackson Township, Madison County
SE¼, SE¼, SE¼, Section 33, T 20N, R 6E, Frankton Quadrangle
Quad Code: 4008527
UTM Coordinates: Downstream 4444170 North, 597505 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24144

Stream : Crooked Creek

Applicant : Sandor Development Company
David Eskenazi
2220 North Meridian Street
Indianapolis, IN 46208-5728

Description : A commercial facility will be developed along the south (left) bank of Crooked Creek. The facility will consist of an 1852 square foot coffee house and a 4064 square foot reatil building. The buildings will be placed on fill and have a finished elevation of 764.5', NGVD '29. The existing parking area will be regraded and refinished. The existing gas station and associated car wash will be demolished to make room for the new structures. Details of the project are contained in information and plans received at the Division of Water on January 16, 2006.

Location : Beginning at the intersection of Kessler Boulevard and North Michigan Road extending approximately 200' northwest and 175' east-northeast
DOWNSTREAM: near Indianapolis, Washington Township, Marion County
NW¼, SW¼, SW¼, Section 3, T 16N, R 3E, Indianapolis West Quadrangle
Quad Code: 3908672
UTM Coordinates: Downstream 4412099 North, 568794 East
UPSTREAM:
UTM Coordinates: Upstream 4412123 North, 568856 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24146

Stream : Wildcat Creek

Applicant : Doug Menner
815 Wexford Drive
Lafayette, IN 47905-8550

Description : The applicant proposes to dig a pond in the right (east) overbank of Wildcat Creek. The pond will be approximately 600' by 360' and will vary in depth from 2' to 20' below existing grade. All spoil from the excavation will be hauled off-site. Details of the project are contained in information and plans received at the Division of Water on January 16, 2007.

Location : In the right (east) overbank beginning approximately 200' upstream of the County Road 1 North stream crossing extending upstream about 600'
DOWNSTREAM: near Lafayette, Perry Township, Tippecanoe County
NW¼, NW¼, Section 20, T 23N, R 3W, Lafayette East Quadrangle
Quad Code: 4008647
UTM Coordinates: Downstream 4475687 North, 518027 East
UPSTREAM:
UTM Coordinates: Upstream 4475494 North, 517920 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24148

Stream : Little Pigeon Creek

Applicant : City of Evansville, IN Water and S
Stephen Titzer
104 Civic Center
1 Martin Luther King Jr. Boulevard
Evansville, IN 47708-1806

Description : Approximately 90' of an exposed 20" water main will be replaced. The new water main will be spliced into the existing main, above and below the exposed elbow. The open trench construction method will be used. Riprap will be placed over geotextile fabric. The area will be seeded with an appropriate species and mulched to stabilize from erosion. Details of the project are contained in information and plans received at the Division of Water on January 17, 2007.

Location : Along the east (left) bank, approximately 1,585' upstream of the St. George Road stream crossing
at Evansville, Center Township, Vanderburgh County
NW¼, SW¼, NW¼, Section 4, T 6S, R 10W, Evansville North Quadrangle
Quad Code: 3808715
UTM Coordinates: Downstream 4209502 North, 452154 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24151

Stream : St. Joseph River

Applicant : Robert Evans
230 Livingston Bay Court
Mishawaka, IN 46544-3897

Description : An eroded streambank will be stabilized by constructing a steel sheet piling seawall along 8' of the applicant's 158' shoreline. The 8' is an extension of an existing seawall. The wall will be constructed of 8-gauge steel sheet pilings placed 2' landward of the shoreline. The pilings will be driven into the ground until the top of the pilings are approximately 24" above the normal water level. Dead men will be placed every 9' along the new wall. A drain line will be placed along the wall to allow for drainage. Details of the project are contained in information and plans received at the Division of Water on January 18, 2007.

Location : 230 Livingston Bay Court; along the left bank, approximately 4,900' downstream of the Bittersweet Bridge
near Mishawaka, Penn Township, St. Joseph County
SW¼, SE¼, SE¼, Section 12, T 37N, R 3E, Osceola Quadrangle
Quad Code: 4108661
UTM Coordinates: Downstream 4613083 North, 572977 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24157

Stream : North Fork Salt Creek

Applicant : Philip R McGuire
641 Salt Creek Road
Nashville, IN 47448-8699

Description : An existing deteriorated residential structure will be replaced with a 40' x 48' structure in approximately the same location. The finished floor elevation will be 624.5', NGVD. The house will be constructed partially on a concrete foundation wall and partially on fill. An approximately 85' x 45' area will be filled 6' high to elevate the house. Details of the project are contained in information and plans received at the Division of Water on January 22, 2007.

Location : 641 Salt Creek Road; along the right (north) overbank, approximately 6250' upstream of the State road 46 stream crossing
near Nashville, Washington Township, Brown County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, NE $\frac{1}{4}$, Section 22, T 9N, R 3E, Nashville Quadrangle
Quad Code: 3908622
UTM Coordinates: Downstream 4339855 North, 570567 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24159

Stream : Cedar Creek

Applicant : Mayor Norman E Yoder
Mayor-City of Auburn
210 East Ninth Street
PO Box 506
Auburn, IN 46706-0506

Description : A 60' wide by 40' deep stage with a guardrail system, 6' wide aluminum stairs, and a 5' wide aluminum ramp, will be constructed. The concrete stage floor will be placed on two concrete walls, located at the north and south sides of the structure. Both the stairs and ramp will be of open aluminum construction and placed on a stone or concrete pad. The stage will be enclosed by a three-sided steel building supported by concrete column piers. This project will also include a 20' by 30' by 4" thick concrete slab mixing pad, located approximately 100' from the stage, and 90' by 100' limestone slab constructed at grade to be used for removable bleachers and lawn chairs. A 12" wide by 12" deep cable trench will be constructed from the stage to the mixing pad. In addition, a 36' by 50' concrete block restroom/concession stand will be constructed on a concrete foundation. This structure will be elevated 1' above existing ground elevations with open vents around the bottom of the building. Construction will also include approximately 1500' of chain link fencing placed around the east and north boundaries of the project, a 20' wide, 340' long extension of the stone drive constructed at the existing grade, a 600 amp 3-Phase electrical weather-proof main service mounted on a metal support structure, and four PVC conduits from main service to stage. Details of the project are contained in information and plans received at the Division of Water on January 22, 2007.

Location : Beginning approximately 975' feet downstream (south) of the 7th Street crossing and extending approximately 600' east and 1250' south
DOWNSTREAM: at Auburn, Union Township, DeKalb County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, NE $\frac{1}{4}$, Section 32, T 34N, R 13E, Auburn Quadrangle
Quad Code: 4108531
UTM Coordinates: Downstream 4580664 North, 663139 East
UPSTREAM: SW $\frac{1}{4}$, NW $\frac{1}{4}$, NE $\frac{1}{4}$, Section 32, T 34N, R 13E

UTM Coordinates: Upstream 4581027 North, 662934 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24162

Stream : Muddy Fork Sand Creek

Applicant : *Indiana Department of Transportation
Richard L Phillabaum
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2216

Description : The superstructure of the existing three-span bridge carrying I-74 over the creek will be widened to accommodate entrance and exit ramps and to facilitate a new Honda plant. The bridge consists of three 26'-7 spans. Eastbound clear roadway will vary from 63'-7 1/2" to 60'-9 1/8" and westbound clear roadway will vary from 71'-6 1/4" to 58'-3". The structures will maintain their current skews of 15 degrees and 12 degrees 27' for eastbound and westbound respectively. Remove and replace bridge deck overlay. The approach roads will be raised. In-channel work will be limited to that which is necessary for the placement of piling, piers, and riprap over geotextile. Details of the project are contained in information and plans received at the Division of Water on January 25, 2007.

Location : At the eastbound and westbound crossing of I-74
DOWNSTREAM: near Greensburg, Washington Township, Decatur County
W½, W½, NE¼, Section 34, T 11N, R 9E, Forest Hill Quadrangle
Quad Code: 3908535
UTM Coordinates: Downstream 4357991 North, 628525 East
UPSTREAM:
UTM Coordinates: Upstream 4358102 North, 628541 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24163

Stream : Kankakee River

Applicant : Starke County Surveyor
Mark MacKillop
53 East Mound Street
Knox, IN 46534-1104

Description : Fallen trees deemed obstructions and logjams will be removed and left on site from the train trestle at English Lake upstream to State Route 39 using hand operated and heavy equipment. Most sites will be accessed on an adjoining levy currently serving as a road for the Kankakee State Fish and Wildlife Area. Standing trees in the way of removing the obstructions and logjams will be cut and left on site. Woody debris will be placed on the landward side of the levee. Details of the project are contained in information and plans received at the Division of Water on January 26, 2007.

Location : At the Chesapeake and Ohio, and Pennsylvania railroad crossing
DOWNSTREAM: near English Lake, Railroad Township, Starke County
SW $\frac{1}{4}$, NE $\frac{1}{4}$, NW $\frac{1}{4}$, Section 36, T 33N, R 4W, English Lake Quadrangle
Quad Code: 4108637
UTM Coordinates: Downstream 4568867 North, 514402 East
UPSTREAM: NE $\frac{1}{4}$, NW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 2, T 33N, R 3W, Knox West
Quadrangle
Quad Code: 4108636
UTM Coordinates: Upstream 4576371 North, 522162 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24166

Stream : Indian Creek

Applicant : Town of Corydon
Fred K Cammack
113 North Oak Street
Corydon, IN 47112-1123

Description : The Town of Corydon is proposing to construct a satellite wastewater treatment plant due to the increase in development from the I-64 area north of town. The project will consist of three 55' x 55' concrete tanks, a headworks structure, a master lift station, a UV disinfection and post aeration structure, a control building, blowers, a mobile sludge press pad, and a stone access road. Details of the project are contained in information and plans received at the Division of Water on January 29, 2007.

Location : Along the left (east) over bank, beginning approximately 2,300' upstream of the State Route 337 stream crossing and continuing upstream approximately 200' DOWNSTREAM: near Corydon, Harrison Township, Harrison County NE¼, NW¼, SW¼, Section 30, T 3S, R 4E, Corydon East Quadrangle Quad Code: 3808621 UTM Coordinates: Downstream 4230757 North, 577017 East UPSTREAM: UTM Coordinates: Upstream 4230795 North, 577020 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24167

Stream : West Fork White River

Applicant : The Town of Yorktown
Tim Kelty
9800 W. Smith Street
Yorktown, IN 47396-1101

Description : A public restroom facility will be constructed in Morrow's Meadow Park to serve the basic needs of people (adults and children) visiting the park for exercise, recreation, or events. The structure will be a 22' by 24' by approximately 13' H building constructed of architectural split-face concrete masonry units on a cast-in-place concrete footing. The roof construction will be standing seam metal roof over span-rated sheathing on conventional wood trusses. The floor slab elevation will be at 901.1' which is 2' above the Base Flood Elevation of 899.1'. The restroom facility will be closed and winterized through the winter months. Details of the project are contained in information received electronically at the Division of Water on January 30, 2007.

Location : The project site is located in Morrow's Meadow Park, Tiger Drive, on the right bank of the stream, approximately 400 feet downstream of the State Route 32 crossing
at Yorktown, Mount Pleasant Township, Delaware County
SW¼, NE¼, NW¼, Section 22, T 20N, R 9E, Muncie West Quadrangle
Quad Code: 4008524

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24171

Stream : Williams Creek

Applicant : City of Carmel
Michael T McBride
One Civic Square
Carmel, IN 46032-2584

Description : The existing 19.5' span by 6' rise reinforced concrete slab bridge carrying 136th Street over Williams Creek will be replaced with a new structure on essentially the same alignment to widen the roadway to improve traffic flow. The existing structure is on vertical abutments and has a low chord elevation of 869.4 with a waterway opening of 111.0 square feet. The new structure will be a 28' span by 8.5' rise conspan arch type bridge. The structure will have a clear roadway width of 78.33'. The stream bed will be armored with riprap over geotextile. The structure will be skewed 40 degrees to better align with the stream flow. The new approach roads will be elevated a maximum of 3 ft above the existing approaches. The low chord elevation of the new structure will be 871.00' and it will have a waterway area opening of 170 square feet. The existing structure will be completely removed. The project is locally funded. Details of the project are contained in information received electronically at the Division of Water on February 1, 2007.

Location : At the existing 136th Street stream crossing
near Carmel, Clay Township, Hamilton County
Section 23, T 18N, R 3E, Carmel Quadrangle
Quad Code: 3908682

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24172

Stream : Dry Run Creek

Applicant : Indianapolis Motor Speedway
Kevin Forbes
4790 West 16th Street
Indianapolis, IN 46222-2550

Fink Roberts & Petrie, Inc
Edwin E Board
4040 Vincennes Circle Suite 300
Indianapolis, IN 46268-3027

Description : A new box culvert will be placed in Dry Run Creek to carry water through the Owners property. The new culvert will consist of one twin 20 ft x 4 ft x 1216 ft culverts set in the stream to connect existing undertrack structures at each end. It will have upstream and downstream inverts of 719.5 ft, NGVD and 718.5 ft, NGVD, respectively. The inlet and exit ends of the culvert will be tapered to match the existing structures. The culvert will align with streamflow. Existing pipes along the culvert route will be connected into the culvert. Additionally, an existing local ditch will be enclosed with a 205 ft of 60" x 38" elliptical concrete pipe and connected to the new culvert. Relief structures will be provided in each new pipe to allow any surcharge to remain on the Owner's property. Details of the project are contained in information received electronically at the Division of Water on February 01, 2007.

Location : The first turn of the Indianapolis Motor Speedway.
At Speedway, Wayne Township, Marion County
Section 31, T 16N, R 3E, Indianapolis West Quadrangle
Quad Code: 3908672

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20650

Lake : Lake Wawasee

Applicant : Edwin and Yvette Merrick
9121 East Rainbow Lane
Cromwell, IN 46732-9699

Description : A riprap seawall will be constructed across 85' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on January 23, 2007.

Location : 9121 East Rainbow Lane, Lot number 578, Enchanted Hills Addition at Lake Wawasee Channel
near Cromwell, Turkey Creek Township, Kosciusko County
NE¼, NW¼, NW¼, Section 13, T 34N, R 7E, Lake Wawasee Quadrangle
Quad Code: 4108546
UTM Coordinates: Downstream 4584959 North, 611168 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20651

Lake : Simonton Lake

Applicant : David Klein
25102 Aqua Drive
Elkhart, IN 46514

Description : A steel sheet piling seawall will be constructed across the applicant's 100' frontage. The existing timer will be removed. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on January 24, 2007.

Location : 25102 Aqua Drive, Simonton Lake
at Elkhart, Osolo Township, Elkhart County
NW¼, SW¼, NW¼, Section 15, T 38N, R 5E, Elkhart Quadrangle
Quad Code: 4108568
UTM Coordinates: Downstream 4622340 North, 587717 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20655

Lake : Sylvan Lake

Applicant : John and Gayle Pierce
650 Lakeside Drive
Rome City, IN 46784-9601

Description : A concrete seawall will be refaced with a layer of concrete across the applicant's 60' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on January 29, 2007.

Location : 650 Lakeside Drive, Lot number 2 in North View Plat
near Rome City, Orange Township, Noble County
NW¼, SW¼, NW¼, Section 15, T 35N, R 10E, Kendallville Quadrangle
Quad Code: 4108543
UTM Coordinates: Downstream 4594645 North, 636372 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20656

Lake : Sylvan Lake

Applicant : Michael and Kristie Prater
640 Lakeside Drive
Rome City, IN 46784-9601

Description : A concrete seawall will be refaced with a layer of concrete across the applicant's 57' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on January 29, 2007.

Location : 640 Lakeside Drive, Lot #3, Northview Plat
at Rome City, Orange Township, Noble County
NW¼, Section 15, T 35N, R 10E, Kendallville Quadrangle
Quad Code: 4108543
UTM Coordinates: Downstream 4594632 North, 636398 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20658

Lake : Sylvan Lake

Applicant : Mark Wissel
3608 Deer Cove
Fort Wayne, IN 46815-8404

Description : A concrete seawall will be refaced with a layer of concrete across the applicant's 30' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on January 29, 2007.

Location : 415 Lions Drive, Lot 10 in the Barber Woods Addition
near Rome City, Orange Township, Noble County
SW $\frac{1}{4}$, SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 15, T 35N, R 10E, Kendallville Quadrangle
Quad Code: 4108543
UTM Coordinates: Downstream 4594566 North, 636134 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11